



**ABRASIVI E POLVERI LUCIDANTI  
PER MARMI, GRANITI,  
PIETRE NATURALI E ARTIFICIALI**


*ABRASIVES AND POLISHING POWDERS  
FOR MARBLES, GRANITES,  
NATURAL AND ENGINEERED STONES*



**GeneralKoll®**



Mole resinoidi Ecodiamant – <i>Ecodiamant resinoid grinding wheels.</i> . . . . .	4
Lucidanti per marmo e granito – <i>Polishers for marble and granite</i> . . . . .	26
Plateaux e segmenti abrasivi – <i>Plateaux and abrasives segments</i> . . . . .	38
Pasta abrasiva – <i>Abrasive paste</i> . . . . .	56
Dischi abrasivi – <i>Abrasive disks</i> . . . . .	58
Polveri lucidanti – <i>Polishing powders</i> . . . . .	60
Stucco a caldo – <i>Hot filler.</i> . . . . .	78
Spazzole anticanti – <i>Brushes for antiqing</i> . . . . .	80
Mole diamantate e feltri lucidanti – <i>Diamond wheels and polishing felts</i> . . . . .	91



*General Chemical Engineering. To build & work.*

# General Chemical Engineering. Dal 1973.

**La continua ricerca è alla base dei nostri successi.**

Il settore degli abrasivi occupa un posto importante nella vastissima gamma dei prodotti General, gamma che dal 1973 mette a disposizione del professionista tutti i materiali necessari alla lavorazione, alla manutenzione e cura del marmo, del granito e della pietra naturale.

Spiccano in modo particolare gli **abrasivi resinoidi diamantati** Ecodiamant®, con tutte le grane da 30 a 3500 e LUX, dai plateau con diametri da 200 a 250 mm, agli anelli levigacoste e anelli polivalenti con attacchi velcro o a chiocciola, ai settori Frankfurt e Fickert, ai segmenti Cassani, ai pad resinoidi per la levigatura e la lucidatura a secco e a umido con macchine portatili.

Vasta scelta anche fra i **lucidanti per marmo** e granito; lucidanti per marmo 5 extra, plateau da 200 e 250 mm, lucidacoste, levigatore, segmenti Cassani e Genovese, settori Frankfurt e Fickert, rulli.

L'ampissima gamma delle **polveri lucidanti** è in grado di esaltare la lucentezza dei marmi e graniti, sia naturali che sintetici, sia di colori particolari che di difficile lucidatura.

Gli **abrasivi in magnesite e sintetici** includono plateau diametro 200 e 250 mm. con impronte o disegni differenziati per il migliore utilizzo, settori Frankfurt e Fickert, segmenti Cassani e Genovese, levigacoste e levigatore, rulli di diametro 100 mm. fino a 150 mm., anelli e mole a tazza in carburo di silicio dalla grana più grossa alla più fine.

Vasta gamma di colori per la **pasta abrasiva** lucidante per marmo, granito e acciaio inox, così come per lo **stucco a caldo**, a base di resine naturali, formulato per la stuccatura di tutte le colorazioni dei marmi, graniti e pietre. Effetti speciali si ottengono con le **spazzole anticanti** utilizzabili sia su macchine fisse che utensili portatili. Per la manutenzione sia di grandi che piccole superfici, ampia scelta tra i **pad lucidanti** e di pulizia per la cristallizzazione e la lucidatura a specchio dei pavimenti.



**The continuous research is the base of our success. Since 1973.**

The abrasives have an important position in the wide range of the products made by General. A range that since 1973 offers to the professional all the materials for processing, maintenance and care of marble, granite and natural stone.

A special place is taken by the **resin diamond abrasives** Ecodiamant®, with all the grits from 30 to 3500 and LUX, by the grinding wheels of diameter from 220 mm., the edge grinding wheels and multipurpose rings with Velcro and snail backing, Frankfurt and Fickert sectors, Cassani segments, polishing pads for dry and wet grinding and polishing with portable tools.

Wide choice also for the **polishing stone** for marble and granite: polishing wheels of 200 and 250 mm., edge and bull nose polishing wheels, Cassani and Genovese segments, Frankfurt and Fickert sectors.

The wide range of the **polishing powders** allows to enhance the glossy of marble and granite, both natural and synthetic, engineered stones, materials of special colour and difficult polishing.

The **magnesite and synthetic abrasives** include the wheels diameter 200 mm. and 250 mm. with different shapes for the best use, Frankfurt and Fickert sectors, Cassani and Genovese segments, edge and bull nose grinding rings, rollers of diameter from 100 mm. to 150 mm., rings and wheel cups of silicon carbide from the coarse till to the finest grit.

Wide colour choice for the **polishing abrasive paste** for marble, granite and inox stainless steel, and for the **hot filler**, natural resins based, formulated for stuccoing all the colours of marble, granite, stone.

Special effects are obtained by using the **brushes for antiquing** suitable to be used on heavy machines and portable machines. For the maintenance of big and small surfaces, it is very wide the choice of **polishing pads** for the cleaning, crystallization and the mirror polishing of the floors.

A large, bold, black number '1' is centered on the page, tilted slightly to the right. It has a thick, blocky font style.

*Mole resinoidi Ecodiamant  
Ecodiamant resinoid wheels*

*General Chemical Engineering. To build & work.*

# Ecodiamant – Plateau $\varnothing$ 220 attacco magnetico

## Ecodiamant – Grinding wheel magnetic backing



**Grana / Grain:**  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX



# Ecodiamant – Plateau $\varnothing$ 220 attacco velcro

## Ecodiamant – Grinding wheel velcro backing



2

Grana / Grain:  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX



# Ecodiamant – Anello levigacoste $\varnothing$ 150

## Ecodiamant – Edge grinding ring



**Grana / Grain:**  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX



# Ecodiamant – Anello levigacoste $\varnothing$ 150 attacco velcro

## Ecodiamant – Edge grinding ring velcro backing




4

**Grana / Grain:**  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX



# Ecodiamant – Anello polivalente $\varnothing$ 150

Ecodiamant – Multipurposes grinding ring



5



Grana / Grain:  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX



# Ecodiamant – Anello levigacoste $\varnothing$ 130

## Ecodiamant – Edge grinding ring



6



Grana / Grain:  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX

# Ecodiamant – Anello levigacoste Ø 100 attacco velcro



Ecodiamant – Edge grinding ring  
velcro backing



7

Grana / Grain:  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX



# Ecodiamant – Anello levigacoste Ø 100 - 130 - 150

## Ecodiamant – Edge grinding ring





8



Grana / Grain:  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX

# Ecodiamant – Anello levigacoste Ø 100 - 130 - 150

Ecodiamant – Edge grinding ring




9




Grana / Grain:  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX

# Ecodiamant – Settore Frankfurt

## Ecodiamant – Frankfurt sector




10



Grana / Grain:  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX

# Ecodiamant – Segmenti Cassani

## Ecodiamant – Cassani segments




11

Grana / Grain:  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX



# Ecodiamant – Settore Fickert 14 - 17 cm

## Ecodiamant – Sector Fickert 14 - 17 cm



12




**Grana / Grain:**  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX



GENERAL QUALITY SYSTEM

# Ecodiamant – Anello per bisello $\varnothing$ 130

## Ecodiamant – Chamfering ring




13

Grana / Grain:  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX



# Ecodiamant – Anello per toro $\varnothing$ 150

## Ecodiamant – Bull nose grinding ring



14



Grana / Grain:  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX

# Ecodiamant – Anello per toro $\varnothing$ 130

## Ecodiamant – Bull nose grinding ring



15



**Grana / Grain:**  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX



# Ecodiamant – Anello per toro $\varnothing$ 130 tipo “Elica”

Ecodiamant – “Helix” bull nose grinding ring



16



Grana / Grain:  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX

# Ecodiamant – Anello $\varnothing$ 100 per bisello e toro

Ecodiamant – Chamfering and bull nose  
grinding ring



17



Grana / Grain:  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX



# Ecodiamant – Plateau Bakel Ø 200 - 250

## Ecodiamant – Plateau Bakel



18




Grana / Grain:  
50, 200, 400, 500,  
800, 1500

# Ecodiamant – Pad lucidante a secco

## ∅ 80 - 100 - 125 - 150

Ecodiamant – Polishing pads dry use



**Grana / Grain:**  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX



**Platorello rigido**  
Rigid backing




**Platorello in gomma**  
Rubber soft backing





# Ecodiamant – Anello $\varnothing$ 80 - 100

## Ecodiamant – Ring



20



Grana / Grain:  
30, 50, 120, 220, 400, 600,  
800, 1800, 3500, LUX



GENERAL QUALITY SYSTEM



A large, bold, black number '2' is centered on the page, serving as a background for the text.

*Lucidanti per marmo e granito*  
*Polishers for marble and granite*

*General Chemical Engineering. To build & work.*

# Mola lucidante 5 Extra $\varnothing$ 250

5 Extra polishing wheel



21




Grana / Grain:  
5 EXTRA





# Mola lucidante 5 Extra $\varnothing$ 200

## 5 Extra polishing wheel



22





Grana / Grain:  
5 EXTRA



# Lucidacoste 5 Extra $\varnothing$ 130 - 150

## 5 Extra edge grinding ring



23





Grana / Grain:  
5 EXTRA





# Lucidante 5 Extra per toro $\varnothing$ 130

## 5 Extra bull nose polishing ring



24




Grana / Grain:  
5 EXTRA




GENERAL QUALITY SYSTEM

# Settore Frankfurt 5 Extra

## 5 Extra Frankfurt sector



25





Grana / Grain:  
5 EXTRA






# Settore Genovese 5 Extra

## 5 Extra Genovese sector



26




Grana / Grain:  
5 EXTRA



GENERAL QUALITY SYSTEM

# Segmento Cassani 5 Extra

## 5 Extra Cassani segment



27




Grana / Grain:  
5 EXTRA






# Mola lucidante Lux per granito Ø 250

## Lux polishing wheel for granite



28




Grana / Grain:  
LUX




# Lucidacoste Lux per granito Ø 130 - 150

Lux polishing ring for granite



29




Grana / Grain:  
LUX





# Lucidante Lux per toro $\varnothing$ 130 - 150 sintetico per granito

Lux bull nose polishing ring  
synthetic for granite



30




Grana / Grain:  
LUX



GENERAL QUALITY SYSTEM

# Lucidante Fickert Lux 14 - 17 cm sintetico per granito

Fickert Lux polisher 14 - 17 cm  
synthetic for granite



Grana / Grain:  
LUX



A large, bold, black number '3' is centered on the page, serving as a background for the text.

*Plateaux e segmenti abrasivi*  
*Plateaux and abrasives*

*General Chemical Engineering. To build & work.*

# Plateau A $\varnothing$ 250 abrasivo sintetico per marmo

Plateau A  
synthetic abrasive for marble



Grana / Grain:  
3/4. 400, 600, 800





# Plateau B $\varnothing$ 250 abrasivo per marmo e granito

## Plateau B abrasive for marble and granite



33

**Grana / Grain**  
**Magnesite:**  
16, 24, 36, 60, 120, 220,  
320, 400, 600, 800, 1000

**Porogen Sintex:**  
36, 60, 120, 220, 320



Magnesite



Porogen Sintex



GENERAL QUALITY SYSTEM

# Plateau C $\varnothing$ 250 abrasivo per marmo e granito

Plateau C  
abrasive for marble and granite



34

## Grana / Grain

### Magnesite:

16, 24, 36, 60, 120, 220,  
320, 400, 600, 800, 1000

### Porogen Sintex:

36, 60, 120, 220, 320



Magnesite



Porogen Sintex



# Settore Fickert 140 mm per marmo e granito

Fickert sector 140 mm for marble and granite



35



Grana / Grain:  
20, 24, 30, 36, 46, 60,  
80, 120, 180, 220, 280,  
320, 400, 500, 600,  
800, 1000, 1200, 1500

# Settore Frankfurt Porogen "Verona" per marmo e granito

Frankfurt sector Porogen "Verona"  
for marble and granite



36



Grana / Grain:  
12, 16, 24, 36, 45, 60, 120,  
180, 220, 280, 320



# Settore Franfurt magnesite per marmo e granito

Frankfurt sector magnesite for marble and granite




37



Grana / Grain:  
16, 24, 36, 45, 60, 120, 220,  
300, 400, 600, 800, 1000

# Settore Frankfurt sintetico per marmo

## Synthetic Frankfurt sector for marble



38




Grana / Grain:  
3/4, 400, 600, 800



# Settore Frankfurt tipo "zoccolo"

## "Hoof" Frankfurt sector



39

**Grana / Grain**

**Magnesite:**

16, 24, 36, 45, 60, 120, 220,  
300, 400, 600, 800, 1000

**Sintetico / Synthetic:**

3/4, 400, 600, 800



Magnesite



Porogen Sintex



# Settore Cassani

## Cassani sector



40

### Grana / Grain

#### Magnesite:

16, 24, 36, 45, 60, 120,  
220, 300, 400, 600,  
800, 1000

#### Sintetico / Synthetic:

3/4, 400, 600, 800



Magnesite




Sintetico



# Settore Genovese

## Genovese sector



41

**Grana / Grain**

**Magnesite:**

16, 24, 36, 45, 60, 120, 220,  
300, 400, 600, 800, 1000

**Sintetico / Synthetic:**

3/4, 400, 600, 800



Magnesite



Sintetico



# Rulli abrasivi $\varnothing$ 100 - 130 magnesite per marmo e granito

Abrasive rollers, magnesite, for marble and granite



42

Attacco a vite  
Screw backing



43


Attacco Terzago  
Terzago backing

Grana / Grain:  
16, 24, 36, 45, 60, 120, 300,  
400, 600, 800, 1000



# Anelli levigacoste $\varnothing$ 125 - 150 sintetici e magnesite per marmo e granito

Edge grinding rings, synthetic and magnesite  
for marble and granite



44

Attacco a chiocciola  
Snail backing

Grana / Grain

Magnesite:

60, 120, 220, 300, 400,  
600, 800, 1000

Sintetico / Synthetic:

120, 220, 400, 600, 800



# Anelli abrasivi a stella $\varnothing$ 125 - 150 sintetici e magnesite per marmo e granito

Grinding rings, star hole, synthetic and magnesite  
for marble and granite



45

Attacco a chiocciola  
Snail backing

Grana / Grain

Magnesite:

60, 120, 220, 300, 400,  
600, 800, 1000

Sintetico / Synthetic:

120, 220, 400,  
600, 800



Magnesite




Sintetico



# Anelli abrasivi per toro $\varnothing$ 125 - 150 sintetici per marmo e granito

**Bull nose grinding rings, synthetic  
for marble and granite**



46

Attacco a chiocciola  
Snail backing



Grana / Grain:  
120, 220, 400, 600, 800

# Anellino levigacoste $\varnothing$ 100 - 130 in carburo di silicio per marmo, granito e grès porcellanato

Per levigatura e sgrossatura manuale  
o con macchine tradizionali, a secco o umido

## Edge lapping ring-wheel, silicon carbide for marble, granite and gres porcelain tiles

For grinding and polishing by hand  
or traditional machine, dry or wet system




47

$\varnothing$  100x30x50

Attacco a chiocciola / Snail backing

Velocità max. 3050 g/min. 16m/s  
Max. speed 3050 rpm. 16m/s



48

$\varnothing$  130x30x58

Attacco a chiocciola / Snail backings

Velocità max. 2500 g/min. 16m/s  
Max. speed 2500 rpm. 16m/s



Grana / Grain:

24, 36, 60, 80, 120, 220,  
320, 400, 500





# Mola a tazza conica $\varnothing$ 110

in carburo di silicio per marmo e granito  
per lavorazione a secco con smerigliatrice portatile

Flared cup grinding wheel silicon carbide  
for marble and granite

for dry grinding with portable machine



49


$\varnothing$  110/90x60x22

Attacco a vite / Screw backing

Velocità max. 8600 g/min. 45 m/s  
Max. speed 8600 rpm. 45 m/s



Grana / Grain:  
16, 24, 36, 45, 60, 120, 220,  
300, 400, 600, 800, 1000



GENERAL QUALITY SYSTEM

GENERAL

A large, bold, black number '4' is centered on the page. The number is stylized with a thick stroke and a slight shadow effect, giving it a three-dimensional appearance. It is positioned behind the main text.

*Pasta abrasiva*  
*Abrasive paste*

# Pasta abrasiva lucidante per marmo, granito e acciaio inox

**Polishing abrasive paste  
for marble, granite and stainless steel**



**Colori:**  
bianco, grigio, nero, verde, rosso

**Colours:**  
white, grey, black, green, red



A large, bold, black number '5' is centered on the page. The number is stylized with a thick stroke and a slight shadow effect. The text 'Dischi abrasivi' and 'Abrasive disks' is overlaid on the number.

*Dischi abrasivi*  
*Abrasive disks*

*General Chemical Engineering. To build & work.*

# Dischi abrasivi

**Dischi abrasivi sintetici per cristallizzazione, lucidatura e pulizia pavimenti. Per uso a umido e a secco, per ogni tipo di superficie. Adattabili a qualsiasi macchina lucidatrice o pulitrice**

**Abrasive synthetic disks for floor crystallization, polishing and cleaning. For wet and dry use, for any kind of floor. Suitable for any kind of polishing/cleaning machine**



**Colori: bianco, beige, rosso, blu, verde, marrone, nero per applicazioni ed usi diversi  
Colours: white, beige, red, blue, green, brown, black colours for different use and application – Ø mm. 165, 180, 229, 305, 330, 356, 406, 431, 508, 711**





*Polveri lucidanti*  
*Polishing powders*

*General Chemical Engineering. To build & work.*

# POLMAR BIANCO

**Polvere lucidante standard  
per marmi di non difficile lucidatura**

**Standard polishing powder  
for marble of not difficult polishing**



52

**Confezioni / Packaging: kg. 1, kg. 5, kg. 10**



# POLMAR LUXOR

**Polvere lucidante ad alte prestazioni per marmo e agglomerati di marmo per uso con macchine tradizionali e monospazzole**

**High performance polishing powder for marble and marble agglomerates for use with traditional polishing machines and single-brush machines**



53

**Confezioni / Packaging: kg. 1, kg. 5, kg. 10**



GENERAL QUALITY SYSTEM

# POTÈ BOLLINO VERDE

**Polvere lucidante universale  
per marmi e graniti chiari**

**Universal polishing powder  
for light colour marbles and granites**



54

**Confezioni / Packaging: kg. 1, kg. 5, kg. 10**



# POTÈ MALAYSIA

**Polvere lucidante speciale per graniti  
Additivo stannico per polveri lucidanti**

**Special polishing powder for granites  
Stannic additive for polishing powders**



55

**Confezioni / Packaging: kg. 1, kg. 5, kg. 10**





# MARMOFLASH

**Polvere lucidante speciale  
per marmi di difficile lucidatura (marmi scuri)**

**Special polishing powder for  
marble of difficult polishing (dark colour marbles)**



**Confezioni / Packaging: kg. 1, kg. 5, kg. 10**





# MICROLUX

**Polvere lucidante per granito e marmi colorati  
(nero, verde, ecc.)**

**Polishing powder for granite and color marbles  
(black, green, etc.)**



57

**Confezioni / Packaging:**  
kg.1, kg. 2,5, kg. 5, kg. 10



# GRANITGRES

**Polvere lucidante per granito e gres porcellanato**  
**Polishing powder for granite and gres porcelain tiles**



58

**Confezioni / Packaging:**  
kg. 1, kg. 5, kg. 10



# GRANITEK

**Polvere lucidante per granito di difficile lucidatura (anche con monospazola)**

**Polishing powder for granite of difficult polishing (also using single-brush machine)**



59

**Confezioni / Packaging:**  
kg. 1, kg. 5, kg. 10



# DIAMANTINA

**Polvere lucidante speciale per rinnovare il marmo  
(anche per lucidatura manuale)**

**Special polishing powder for marble renewal  
(also for manual polishing)**



60

**Confezioni / Packaging:  
kg. 1, kg. 5, kg. 10**



# AGGLOPOLISH B1 PREMIER

**Polvere lucidante per marni e graniti sintetici di media durezza. Utilizzabile con monospazzola**

**Polishing powder for engineered marble and granite of medium hardness. For use with single-brush machine**



61

**Confezioni / Packaging:**  
kg. 1, kg. 5, kg. 10





# AGGLOPOLISH B2 EXTRA

**Polvere lucidante per marni e graniti sintetici di bassa durezza. Utilizzabile con monospazzola**

**Polishing powder for engineered marble and granite of low hardness. For use with single-brush machine**



62

**Confezioni / Packaging:**  
kg. 1, kg. 5, kg. 10



# AGGLOPOLISH PLUS

**Polvere lucidante speciale per marmi e graniti sintetici. Utilizzabile con monospazzola**

**Special polishing powder for engineered marble and granite. For use with single-brush machine**



63

**Confezioni / Packaging:**  
kg. 1, kg. 5, kg. 10



# AGGLOPOLISH GOLD SEAL

**Polvere lucidante superiore per marmi e agglomerati. Utilizzabile con monospazzola**

**Superior polishing powder for marbles and agglomerates. For use with single-brush machine**



64

**Confezioni / Packaging:**  
kg. 1, kg. 5, kg. 10





A large, bold, black stylized number '7' is centered on the page. The top horizontal bar of the '7' is slanted downwards to the right. The vertical stem is also slanted downwards to the right. The number is positioned behind the text.

*Stucco a caldo*  
*Hot filler*

*General Chemical Engineering. To build & work.*

# Stucco a caldo

## Hot filler



65

**Stucco a caldo ecocompatibile, a base di resine naturali e cariche minerali. Disponibile in vari colori per l'utilizzo su tutti i tipi di marmo, granito, pietra.**

**Environmentally friendly hot filler, based on natural resins and mineral fillers. Available in different colours for the application on any kind of marble, granite, stone.**







*Spazzole anticanti*  
*Brushes for antiquing*

*General Chemical Engineering. To build & work.*

# Spazzola $\varnothing$ 250 per manettone

## Brush for radial arm machine



Manettone

66

**Grana / Grain:**  
24, 36, 46, 60, 80, 120,  
180, 240, 320, 500, 600,  
800, 1000



Attacco velcro / Velcro backing



# Spazzole per costa diritta e lavorazioni con macchine manuali o automatiche Ø 100 - 120 - 150

## Brushes for straight edge for manual or automatic machines



67



Attacco a chiocciola  
Snail backing




Attacco a vite  
Screw backing


**Grana / Grain:**  
24, 36, 46, 60, 80, 120,  
180, 240, 320, 500

# Spazzola Frankfurt per macchine manuali o automatiche

## Frankfurt brush for manual or automatic machines



68



**Grana / Grain:**  
24, 36, 46, 60, 80, 120,  
180, 240, 320, 500





# Spazzola Fickert 140 mm per granito, agglomerato, pietra e ceramica

**Fickert brush 140 mm for granite, agglomerate,  
stone and ceramics**



69




**Grana / Grain:**  
24, 36, 46, 60, 80, 120,  
180, 240, 320, 500



GENERAL QUALITY SYSTEM

# Spazzola Fickert 170 mm per granito, agglomerato, pietra e ceramica

**Fickert brush 170 mm for granite, agglomerate,  
stone and ceramics**



70



**Grana / Grain:**  
24, 36, 46, 60, 80, 120,  
180, 240, 320, 500





# Spazzola Cassani

## Cassani brush



71



**Grana / Grain:**  
24, 36, 46, 60, 80, 120,  
180, 240, 320, 500



GENERAL QUALITY SYSTEM

# Spazzola diamantata $\varnothing$ 250 per manettone


**Diamond brush for radial arm machine**



72

**Grana / Grain:**  
30, 40, 60, 80, 120,  
180, 230, 320, 400,  
600, 800, 1000, 1200,  
1500, 1800, 3500








# Spazzole diamantate per costa diritta e lavorazioni con macchine manuali o automatiche

Ø 100 - 120 - 150

**Diamond brushes for straight edge for manual or automatic machines**




**Grana / Grain:**  
30, 40, 60, 80, 120,  
180, 230, 320, 400,  
600, 800, 1000, 1200,  
1500, 1800, 3500




# Spazzola Frankfurt diamantata per marmo, granito, agglomerato e ceramica

Frankfurt diamond brush for marble, granite,  
agglomerate and ceramics



74




Grana / Grain:  
30, 40, 60, 80, 120,  
180, 230, 320, 400,  
600, 800, 1000, 1200,  
1500, 1800, 3500





# Spazzola diamantata Fickert 140 mm per granito, agglomerato, pietra e ceramica

Fickert diamond brush 140 mm for granite,  
agglomerate, stone and ceramics



75



Grana / Grain:  
30, 40, 60, 80, 120,  
180, 230, 320, 400,  
600, 800, 1000, 1200,  
1500, 1800, 3500



GENERAL QUALITY SYSTEM



*Mole diamantate  
e feltri lucidanti*

*Diamond wheels  
and polishing felts*

*General Chemical Engineering. To build & work.*

# Mole diamantate Ø 100 per la sgrossatura di marmi, graniti e pietre naturali

**Diamond grinding wheels for roughing out  
marble, granite and natural stone**



76

Ø 100 mm


Attacco a vite M14/ M14 Screw backing



Grana / Grain:  
50, 80

# Feltri lucidanti in lana merino per superfici di marmo, granito, pietra naturale e artificiale

Polishing felts, merino wool for surfaces of marble,  
granite, natural and synthetic stone



Ø esterno/external Ø:  
115, 125, 130, 150, 180,  
230 mm.  
Spessore/thickness:  
15 ~ 60 mm.  
Densità (su richiesta) /  
density (on demand):  
0,48 ~ 0,58









**GeneralKoll®**

ADESIVI COLLANTI RESINE SIGILLANTI PER EDILIZIA  
ADHESIVES GLUES RESINS SEALERS FOR BUILDING



Sistema Qualità certificato UNI EN ISO 9001:2008  
Quality System Certified Company

## INDUSTRIA CHIMICA GENERAL Srl

**DIREZIONE E UFFICI / HEAD OFFICE:** Via Repubblica S. Marino, 8 - 41122 MODENA, ITALY - tel. (+39) 059.450.991 / 059.450.978  
fax (+39) 059.450.615 - [www.generalchemical.it](http://www.generalchemical.it) / e-mail: [mail@generalchemical.it](mailto:mail@generalchemical.it)

**STABILIMENTO 1 / FACTORY 1:** Via Repubblica S. Marino, 8 - 41122 MODENA, ITALY

**STABILIMENTO 2 / FACTORY 2:** Via Uralita, 7 - Loc. Zerbinato - 44012 Bondeno (FE), ITALY - tel. (+39) 0532.892.605 - fax (+39) 0532.891.081